

**Red-Eared Slider** 



Purple Loosestrife



New Zealand Mudsnail



Tracking Invasive Species with Pennsylvania *i*MapInvasives

Mary Walsh and Amy Jewitt Western Pennsylvania Conservancy March 14, 2015

# Invasive Species – Non-native organisms that cause harm to the environment, economy, and human health

Carolina Fanwort Photo credit: Brian Pilarcik, CCCD



Purple Loosestrife Photo credit: Cumbria Wildflowers



Round Goby Photo credit: Glogster.com



Common Reed





Multiflora Rose Photo credit: depauw.edu



Quagga Mussel Photo credit: Amy Benson, USGS



Didymo Photo credit: Tim Daley, PA DEP



Japanese Barberry Photo Credit: FNA Nature Search

# What is *i*MapInvasives?

- An on-line mapping database used for tracking location information on invasive species
- Used as a resource to
   visualize where invasive species are located
- Tool for natural resource professionals working to **manage invasive species**
- Available to anyone by signing up for a free user account



iMapInvasives	Pennsylv	ania User Tools
Login		Report an Invasive
name		
word (Forgot Password?)	-	

## What is iMapInvasives?

- Currently being utilized in PA as well as the following states/province:
  - NY, OR, AZ, FL, VA, VT, WV, NH and Saskatchewan
- Facilitates early detection and rapid response
- Used to store and retrieve your data (points & polygons; presence and absence)
- Download as "csv" or geodatabase

# Who is it for?

- Natural resource professionals
- Citizen scientists
- Land trusts
- Watershed associations
- State agencies
- Schools and volunteer groups
- \*Anyone with an interest in invasive species\*

#### Tools for Natural Resource Professionals

**Assessments** provide detailed information about an observation

**Surveys** are a planned search of an area to determine the presence or absence of specific invasive species

**Treatments** are actions taken to control an invasive species population



## Tools for Natural Resource Professionals – Treatment Records

Treatments are actions taken to control an invasive species population

Steps to create a Treatment record

- 1. Draw polygon around treated area
- 2. Fill in information fields, some of which are highlighted below:
- <u>Treatment types</u> Barrier, Bioagent, Chemical Fire, Mechanical/Manual, etc.
- <u>Targeted Species</u> Single or multiple species
- <u>Treatment goals</u> Eradication, Containment, Suppression, Experiment, etc.
- <u>Who</u>

Lead contact, paid/volunteer crew, crew size

- Observations Affected
- Treatment Start/End Date

#### Pennsylvania Invasive Species Management Plan Goals (PISC 2009)

- Early Detection and Rapid Response: **Detect new introductions of nonnative invasive species** and control or contain target species before they can become permanently established in the Commonwealth or move into areas in which they previously did not exist.
- Survey and Monitoring: Expand survey and monitoring efforts of nonnative invasive species in Pennsylvania.

 Data Management: Develop a statewide invasive species database clearinghouse or information sharing system linking data from various state, federal, and non-governmental entities.

#### Pennsylvania Aquatic Invasive Species Plan (PISC 2006)

#### • Priority strategy:

- Establish a **simple**, **coordinated reporting system(s) for AIS** detection and monitoring in Pennsylvania (Strategy 3D and Strategy 5B).
- Establish a comprehensive process to **identify the aquatic invasive species of greatest concern** that are not yet present in Pennsylvania waters (Strategy 2A).

#### • Priority action:

- Engage those conducting field work to be aware of key invasive species that they may come across. Conduct training for field staff to ensure that they can easily identify aquatic invasive species. Implement a statewide monitoring network to assist in the early detection and monitoring of aquatic invasive species (Action 3B1).
- Partner with AIS management programs in nearby states to share data and coordinate management activities. Pay special attention to "upstream" and "downstream" neighboring states to prevent AIS introduction and spread (Action 1C1).

#### What are the Benefits of iMap?



European Frog-bit Photo credit: Christian Fischer, Wikipedia



Japanese Mysterysnail Photo credit: B. Lathrop, DEP

- Invasive plant and animal data for Pennsylvania
- Quality controlled
- Data sharing (online accessible)
- Publicize invasive species & tracking
- Bring together agencies and organizations w/ invasive species interests
- Inform policy, planning and control efforts
- Work with regional and national tracking efforts by collating PA data

# Benefits – Early Detection & Rapid Response

- Serves as a source of invaluable EDRR info
- Info on EDRR species can come from both professional and public sources, all captured in iMap
- Email alerts serve as a tool to notify interested individuals of EDRR species present in the state/county/specific area



New Zealand Mudsnail Photo credit: Robyn Draheim, Center for Lakes and Reservoirs

## Benefits – Data Sharing

- Invasive species clearinghouse for data across all of Pennsylvania
- Place to organize and share data with others, both internally and externally
- Alleviates the issue of data being captured only in handwritten notes, individual computers, spreadsheets, etc.



Common Reed Photo credit: Michael St. Jean, Flickr photographer

# iMapInvasives Partners





Funding for PA iMapInvasives is provided by the USFWS Great Lakes Restoration Initiative

## Brand new PA iMapInvasives Homepage

- Contains info about iMapInvasives as well as invasive species
- Highlights include a Gallery of Invaders, Invasive Species in the News, Reference Guides, and more!
- Questions or comments about iMap? Click on the "Contact Us" tab to email or call us.



#### Overview: Entering and Querying for Data



#### iMapInvasives Login Page

	MapInvasives Information
smame sword (Terretification of T	Related Links  More Information on MagInvasives  Report an Invasive
Login Request a Login	By antening the site you agree to the Legal Disclosure and Terms of Use and "Privacy Policy
cal Requirements astros a designed to operate using a high-speed internet connection using a modern, standards based broker such as Firefox . Google Chrom	ne . or Safari - Plaase also be sure to use a recently released version of the brower,
ant Note there terms found under Legal Disclosure and Terms of Use and Privacy Pakey permission to use, copy and distribute maps, tables, reports, us copyright notices, © 2015 NatureServe, and any other copyright notice of Contribution as applicable, must appear in all copies; my use of the Content available from Mapineaware must be for informational and educational purposes only and not for common in graphics, ablespeephor archive visual admansk frem the Informational and educational purposes, only and not for common in inguine of the Content available from Mapineaware must be for information and purposes only and not for common in prophics, ablespeephor archive visual admansk frem the Informationary be used, copies of admitted advance for the scompanying to a following citation must be used to any published materials which reference this web use or the Content Found within: MapInvasives an online data system supporting strategic invasive species management. © 2013, NatureServe, Available at http://www.mapin.	text without the prior express written consent of the KatureServer

Enter Username & Password or Request Login if accessing for first time

## Main Navigation Page



#### 5 Different Record Types Available

- **Observation** report of a specific species, at a certain place, on a specific date.
- **Assessment** provides detailed information about an observation. This can include the intensity of infestation, damage caused by the organism, and details about the surrounding area.
- **Survey** a planned search of an area to determine the presence or absence of specific invasive species.
- **Treatment** an action taken to control an invasive species population.
- Infestation Management ties together all the info about a managed population over time.

# Entering an Observation

- 7-step process
- Simple and easy to use
- Good for entering small amounts of data (1-50 records)
- Bulk datasets can be sent to the state administrator for loading (50+)

	State Perg marcheding Stop 3, Won Harrison Harrison Harrison Harrison Harrison Harrison Harrison		
	e initia	*	
• Obser			
<ul><li>Surve</li><li>Treatr</li></ul>			

## Step 1: Adding Photos and Photo Credits

	D 1 Photos (	3 4 5 6 Files only. Do not drag from an open document like Word or Powerpoint)	
	And and		1000
Clo	eup Photo		
		Browse A Stauffer JapaneseKnotweed3.092613.JPG	
	Upload Con		
Clos	eup Photo Credits	Arry Jewit	
Infe	station Photo		
		Browse. A_Stauffor_JapaneseKnotweed11_092613_JPG	
	Upload Cor	iplete	
	station Photo Credits	Any Jawit	
<	No image		>
Sca	e Photo		
		Browse, No file selected	
Sca	e Photo Credits		
100	No image		
Oth	ar Photo	Uron New Fluid Liev-	

Five categories of photos: Close-up, Infestation, Scale, and Other (2)

#### Step 2: Who is the Observer?

<i>i</i> MapInv	vasives Observation Data Entry		ick, Amy (amyjew 2 Log C
Sharing info for strategie ma	formation	Home	LOU
-	1 2 3 4 5 6 7		
	Step 2 Who		
	Are you entering data you observed?		
	Yes, I am the observer		
	O No, I am entering data for Select User		
		10	
	No, but the observer is not listed		
	1. I am the observer		
<	2. Someone else is the observer		>
	3. Observer is not a registered iMap user – send follow-up info		
	imap user – sena tollow-up into		
	e and Terms of Use   Privacy Policy   Financials   Contact your iMap Administrator		

#### Step 3: Is this Data part of a Project?

1 2 3	4 5 6	
Step 3 Project Citch here to see the Magnivisatives Projects Guid Are you entering data for a project? No, 1 am not. Proj. 1 am not. Proj	Reder to get added to the project lat.	

Projects provide a way to group data for faster and easier querying

#### Step 4: What Species was Observed?

1 2 3		
Step 4 What (Species) What Species Was Observed? Species Type Animal Insect Plant By Common Name Beied A Species By Scientific Name Beied A Species	1. Select from animals, insects, and plants 2. Ensure that common and scientific names match up	

#### Step 5: What is the Observation Date?

A for waiting of	asives Observation Data Entry	Home	Log Ou
	1 2 3 4 5 6		
V	Step 5 When         Verwas the species observed?         Step 4         DIS-00         Image: Species observed?         Image: Species observed?		>

#### Step 6: What is the Location?



Search by entering coordinates, a specific address, or location name

# Step 7: Summary Page

-	1 2 Step 7 Sul	3 4 5 6 7	
	Submit Observation		
	Observer:	I am the observer.	
_	Species:	Amur Peppervine	
	Project:	Observation is not associated with a project.	
	Date:	2015-03-04	
	Location:	Lat / Lon Decimal Longitude: -79.96217 Latitude: 40.44462	
<			
		Submit Observation	

#### Check accuracy of observation data before submitting

## Observation Data Entry Training Video





View PA iMap training video for additional info on how to include more details to an observation record, available on the Homepage and YouTube.

#### Querying for Data



Choose to query for data using the <u>Map</u>, the <u>Table</u>, or create a <u>Custom Observation Query</u>

\*Custom querying guide available on Homepage\*



- Search by Species Name ex. Round Goby
- Notice NY records appear too (another iMap state)



Zoom in to see more precise locations of records
Notice numbers in circles get smaller as you zoom in

Goby						Q	0 4			Home	
		_		_	_					Mouse Pos	tion
									1 day	Long:-80.1 X:74921 /Y	423 /L
								/		A TS	
errotiens		I Description of the local division of the l		-	-	Data		0		2142	1
ID.	Scientific Name	Common Name	Organization Pennsylvania Fish	County	Observed	status	10.90	/	B tests for		Therefore II
A-1160	Neogobius melanostomus	Round Goby	and Boat Commission		2000-05-02	Partner Data		Lawrence Park (83) Northwest Harborcreek		1	-
A-1150	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2004-08-02	Partner Data	TO		(m)		
A-1151	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2002-08-12	Partner Data		(190)			(430)
A-1152	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2003-08-12	Partner Data	5 0	and and is		1	( and )
A-1153	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2005+08+12	Partner Data	and the set		i unter	a sub-	
A-1155	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission	Erie	2006-08-23	Partner Data	E	1-		1	1-
A-1156	Neopobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission	Erie	2005-08-12	Partner Data	Mail Complex (a)	D C	ananya pr	cont <sup>he</sup> Page	Rd
A-1154	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2006-08-23	Partner Data	Splach Lagoret	·	YUR		Part a
A-305U	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat Commission		2001-08-08	Partner Data		•	11.1.1	1	
A-306U	Neogobius melanostomus	Round Goby	Pennsylvania Fish and Boat		2001-08-08	Partner Data			13 million	-	man
Itemate	Lake City			-	(17)	w	S.F.		( ni	1	
0	1.1.1.1 Part 1	Gleard	11		The same	1.00	Contention of			A 4 1 4 10	
			1		1	McKean	1 3 6 1	114			1723

• Click red circles to view associated observations

• ID #s link directly to specific record and related details



#### • Search by location – Ex. Lake LeBeouf



• Find out what species have been reported in Lake LeBeouf

# Querying with the Map for County Distribution Info



- View species distribution in PA counties
- Distribution density is shown as color goes from light to dark
- Ex. Asian clam distribution across state (based on current data)

# Querying with the Table

Observation	s Table							Custom Data Q	very
Active Custom Que	ery.								
Data Set = all_data	Clear Query								
		Search						0 - 25 of 4,6	97 res
ID	Status	Scientific Name	Common Name	Observer	Obs Date	County	Entry Date▼	Photo	
PA-3904U	Confirmed	Dreissena polymorpha	Zebra Mussel	steadams	2014-09-24	Lancaster	2015-02-27 12:48:06	1	
A-3901U	Confirmed	Trapa natans	Water Chestnut	ronkeeney	2014-07-13	Warren	2015-02-13 11:17:16	1	
A-3902U	Unconfirmed	Frangula alnus	Glossy False Buckthorn	tanmeyer	2011-08-05	Elk	2015-02-09 15:45:15	0	
A-3892U	Unconfirmed	Berbens thunbergi	Japanese Barberry	zacgoodrich	2014-09-24	Monroe	2015-01-21 16:56:00	1	
A-3891U	Unconfirmed	Phragmites australis ssp. australis	Common Reed	zacgoodrich	2014-09-16	Luzerne	2015-01-21 16:43:25	1	
A-3890U	Unconfirmed	Phragmites australis ssp. australis	Common Reed	zacgoodrich	2014-09-16	Luzeme	2015-01-21 16:38:06	1	
A-3889U	Unconfirmed	Phragmites australis ssp. australis	Common Reed	zacgoodrich	2014-09-16	Luzeme	2015-01-21 16:28:28	1	
PA-3888U	Unconfirmed	Berbens thunbergi	Japanese Barberry	zacgoodrich	2014-09-16	Luzerne	2015-01-21 16:19:19	1	
A-3887U	Unconfirmed	Berbens thunbergi	Japanese Barberry	zacgoodrich	2014-09-16	Luzeme	2015-01-21 16:09:45	1	
PA-3886U	Unconfirmed	Centaurea biebersteinii; Centaurea stoebe ssp. micranthos	Spotted Starthistle	zacgoodrich	2014-08-13	Luzeme	2015-01-21 15:51:20	1	
A-3885U	Unconfirmed	Berberis thunbergii	Japanese Barberry	zacgoodrich	2014-09-16	Luzeme	2015-01-21 15:37:55	1	
A-3884U	Unconfirmed	Berbens thunbergi	Japanese Barberry	zacgoodrich	2014-09-22	Carbon	2015-01-21 12:18:56	1	
A-3883U	Confirmed	Polygonum cuspidatum, Fallopia japonica var. japonica	Japanese Knotweed	zacgoodrich	2014-07-29	Lackawanna	2015-01-20 17:07:37	1	
A-3882U	Confirmed	Hydrilla verticillata	Hydrilla	bripilarcik	2014-07-21	Crawford	2015-01-08 10:55:27	1	
	Download Table as CSV	/						0 - 25 of 4,61	97 rer
								5	>

Search all observations

## Querying with the Table -Search by Species

Observation	s Table						6	Custom Data Qu	wery
Active Custom Que	егу								
Data Set all_data	Clear Query								_
udd		Search							
howing: rudd	Clear							0 - 14 of 1	14 res
ID	Status	Scientific Name	Common Name	Observer	Obs Date	County	Entry Date ¥	Photo	
A-2684U	Confirmed	Scardinius erythrophthalmus	Rudd	jimgrazio	2004-05-24		2014-06-06 09:56:36	0	1
A-2683U	Confirmed	Scardinius erythrophthalmus	Rudd	jimgrazio	2010-10-08		2014-06-06 09:42:28	0	
A-2679U	Confirmed	Scardinius erythrophthalmus	Rudd	marlethaby	2003-05-01		2014-06-06 09:00:12	0	
A-271U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-05-04		2013-05-30 13:05:50	0	
A-270U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-05-03		2013-05-30 13:02:36	α	
A-269U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan .	2012-05-01		2013-05-30 12:57:18	0	
A-268U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-05-01	Erie	2013-05-30 11:43:12	0	
A-267U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-04-06		2013-05-30 11:12:28	0	
A-266U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-04-06		2013-05-30 11:08:51	0	
A-265U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-04-04		2013-05-30 11:04:35	0	
A-264U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-04-04		2013-05-30 11:00:59	0	
A-263U	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	2012-04-03		2013-05-30 10:51:26	0	
A-1221	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	1991-04-29	Wyoming	2012-12-21 00:00:00		
A-1220	Partner Data	Scardinius erythrophthalmus	Rudd	bobmorgan	1991-05-01	Wyoming	2012-12-21 00:00:00		
	Download Table as CSV							0 - 14 of 1	14 re
	Download Table as Cav							0-1401	

Search by species – Ex. Rudd (Search by common name or scientific name)
### Querying with the Table – Search by Observer Name

Observations T	able						Custom Data Qu	uery
Active Custom Query								
Data Set = all_data	Ar Query							_
		Search						
bobmorgan showing: bobmorgan	Clear	Search		♥			0 - 25 of 29	96 result
ю	Status	Scientific Name	Common Name	Observer Obs Date	County	Entry Date▼	Photo	
A-2437U	Partner Data	Channa argus	Northern Snakehead	bobmorgan 2014-05-12	Bucks	2014-05-16 15:37:23	1	
A-321U	Partner Data	Channa argus	Northern Snakehead	bobmorgan 2004-07-21	Philadelphia	2013-06-04 09:51:30	0	
A-320U	Partner Data	Channa argus	Northern Snakehead	bobmorgan 2004-07-20	Philadelphia	2013-06-04 09:47:14	0	
A-319U	Partner Data	Channa argus	Northern Snakehead	bobmorgan 2005-08-11	Philadelphia	2013-06-04 09:41:35	Ó	
A-318U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-05-03		2013-06-03 16:56:15	0	1
A-317U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-06		2013-06-03 16:53:31	0	
A-316U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-06		2013-06-03 16:49:37	0	
A-315U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-06		2013-06-03 16:46:48	0	
A-314U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-05		2013-06-03 16:44:03	0	
A-313U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-03	Erie	2013-06-03 16:41:13	0	
A-312U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2012-04-03		2013-06-03 16:37:56	0	
A-311U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2001-08-08	Erie	2013-06-03 16:35:29	0	
A-310U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2001-08-08		2013-06-03 16:33:02	0	
A-309U	Partner Data	Neogobius melanostomus	Round Goby	bobmorgan 2001-08-08	Erie	2013-06-03 16:29:52	0	
		10 10 1 1 1	n 1.n.i.	1.1				-

• Search by Observer Name (i.e. User Name) – Ex. "bobmorgan"

## Querying with the Table – Search by County

-	My /P	tapInvasives :: Custom Query :: Observati	ons Table						
Observation	ns Table						Cu	stom Data Que	тү
Active Custom Qu	Jery								
Data Set = all_data	Clear Query								
York		Search							
Showing: York	Clear					<b>↓</b>		0 - 25 of 9	0 res
ID	Status	Scientific Name	Common Name	Observer (	bs Date	County	Entry Date▼	Photo	
PA-3528U	Approximate	Adelges tsugae	Hemlock Woolly Adelgid	forest_pest_mgm	1980-01-01	York	2014-12-03 14:12:00	0	
PA-1920	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2013-05-17	York	2014-06-30 00:00:00		
PA-1981	Partner Data	Pylodictis olivaris	Flathead Catfish	srbc	2012-09-05	York	2014-06-30 00:00:00		
PA-1972	Partner Data	Orconectes obscurus	Allegheny Crayfish	srbc	2011-08-08	York	2014-06-30 00:00:00		
PA-1349	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	1996-09-23	York	2014+06+30 00:00:00		
PA-1940	Partner Data	Corbicula fluminea	Aslatic Clam	amywilliams	2013-08-22	York	2014-06-30 00:00:00		
PA-1946	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2013-08-22	York	2014-06-30 00:00:00		
PA-1928	Partner Data	Corbicula fluminea	Aslatic Clam	amywilliams	2013-06-19	York	2014-06-30 00:00:00		
PA-1959	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2013-10-21	York	2014-06-30 00:00:00		
PA-1932	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2013-07-25	York	2014-06-30 00:00:00		
PA-1547	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2005-08-30	York	2014-06-30 00:00:00		
PA-1347	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	1996-09-23	York	2014-06-30 00:00:00		
PA-1594	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2006-08-17	York	2014-06-30 00:00:00		
PA-1978	Partner Data	Cyprinus carpio	Common Carp	srbc	2012-09-05	York	2014-06-30 00:00:00		
PA-1923	Partner Data	Corbicula fluminea	Asiatic Clam	amywilliams	2013-06-19	York	2014-06-30 00:00:00		*
	Download Table as CS	sv.						0 - 25 of 9	o resi

• Search by County – Ex. York County

## Create a Custom Observation Query

Туре		an along the second	1.1		
Full Data Query	Common Invasive Species	Early Detection	Approaching	Region	
Criteria					
Data Set					
Data Set	All iMap Data - My State Only				
Geography					
Geography Type	All				*
Geography Value					•
Species					i
D ánimal O Insert @ Plant	By Common Name				,
C multipli C mant C mark	Select A Species		· ·		
	By Scientific Name				
	Select A Species				
	All		121		
Genus Ranse	199				
	Select Some Options				
Use this to select MULTIPLE species	Swindt Strum Christian				

Choose to filter by any number of categories – many available!
View query results in a table, report, or on the map.

# Examples of Custom Data Queries and Ways to View the Results

2 Ofteria	Longton b	A Pincine Aphropolit Bigan	
Fairtin	1969		
Law			
for a par-		1 1	
Lugan,			
1 - Sector			
100 100	The barry of	area a	
All Data Sum All Species by Report Table	and the second		

### Create a Custom Query \*View Results in a Table

Observation	is Table						Custom Data Que	ry
Active Custom Qu	ery							
ata Set = ail_data	Waterbody = Lake Pleasan	It (ERIE) Clear Query						
			$\frown$					
		Search					0 - 7 of 7	rest
ID	Status	Scientific Name	Common Name	Observer Obs Date	County	Entry Date V	Photo	
A-3464U	Confirmed	Potamogeton crispus	Curly-leaf Pondweed	amyjewitt10 2014-07-24	Erie	2014-09-03 14:46:32	0	-
A-2645U	Confirmed	Cipangopaludina chinensis, Bellamya chinensis	Chinese Mysterysnail	marlethaby 2011-10-08	Erie	2014-06-05 10:45:13	0	
A-453U	Confirmed	Phragmites australis ssp. australis	Common Reed	chrtracey 2013-08-15	Erie	2013-08-20 13:43:36	1	
A-340U	Confirmed	Cipangopaludina chinensis, Bellamya chinensis	Chinese Mysterysnail	milostrofsky 2002-09-01	Erie	2013-07-15 14:47:40	0	
A-995	Partner Data	Potamogeton crispus	Curty-leaf Pondweed	stevegrund 2001-07-12	Ene	2012-12-21 00:00:00		
A-10	Partner Data	Acorus calamus	Sweetflag, Calamus	andyhoff 2001-08-17	Erie	2012-12-21 00:00:00		
A-11	Partner Data	Acorus calamus	Sweetflag, Calamus	brosibradley 2007-08-03	Erie	2012-12-21 00:00:00		
	Download Table as CSV						0 - 7 of 7	7 re

• Ex. What invasive species have been found in Lake Pleasant (Erie County)?

• Answer: Curly-leaf pondweed, Chinese Mysterysnail, Common Reed, and Sweetflag (according to present data)

#### Create a Custom Query \*View Results in a Report

<i>i</i> MapInvasives	Pennsylvania Administrator Tools	Welcome back, Anny (amyeun Home Logo
Sharing information for strategic management	My /MapInvasives :: Custom Observation Query :: Generated Report	Home Log C
Generated Re	port	🗸 Print
Report for Organiza	tion , Western Pennsylvania Conservancy	
1138 Total Observation	is Found	
Date Generated: March 12, 2015		
View Species List		
Counties: 44 Species: 86 Users: 40 Projects: 9 Organizations: 3 Data Entry Method: 3 Observation Species ID Method:	з	
List of Obser	vations	
County Report County Report	rt - <mark>44</mark> Counties	
Summary		
- And the second s	N.S. 2	
	400	400
		400 300 200
	300-	300 200 100

Ex. What data is currently in iMap from my organization? (Western PA Conservancy)
Answer: 1138 observation records (MUCH more info available in report!)

#### Create a Custom Query \*View Results on the Map



• Ex. What aquatic animals are located in Centre County?

Answer: New Zealand Mudsnail (according to present data)

### Infested Lake Report

Infested Lake Report		A Print
pecies reported in (or bordering) lakes and ponds. akes covering multiple counties may have species liste lease use the search function (Ctrl+F) to find a particu	i more than once. Iar waterbody	
Lake Name	and the second	
Beaver Run Reservoir (WESTMORELAND) - (Westmoreland):	1 - Myriophyllum spicatum (Eurasian Water-milfoli) 1 - Potamogeton crispus (Curly-leaf Pondweed)	
Big Bass Lake (LACKAWANNA) - (Lackawanna):	1 - Cabomba caroliniana (Carolina Fanwort, Fanwort)	Query and Reports
Blue Marsh Lake (BERKS) - (Berks):	6 - Pylodictis olivaris (Flathead Catfish)	
Canoe Creek Lake (BLAIR) - (Blair):	1 - Myriophyllum spicatum (Eurasian Water-mifoli) 3 - Najaa minor (dirttik Nalad) 2 - Potamogeton crapsu (Cutri-leaf Pondwead)	
Cherry Run Lake (INDIANA) - (Indiana):	1 - Potamogeton crispus (Curly-Jeaf Pondweed)	Enter Annual
Clear Lake (CRAWFORD) - (Crawford):	1 - Myriophyflum spicatum (Eurasian Water-milfoli) 1 - Potamogeton crispus (Curly-leaf Pondweed)	Think Control of Contr
Colver Reservoir (CAMBRIA) - (Cambria):	1 - Viviparus georgianus (Banded Mysterysnail)	
Concourse Lake (PHILADELPHIA) - (Philadelphia):	1 - Cipangopaludina chinensis, Bellamya chinensis (Chinese Mysterysnail)	
Conneaut Lake (CRAWFORD) - (Crawford):	6 - Cabomba caroliniana (Carolina Fanwort, Fanwort) 1 - Corbicula filminea (Asiatic Clam) 1 - Oreisena polymorpha (Zeitra Mussel) 3 - Myriophylum spicatum (Eurasian Vatur-milfol) 1 - Najas more (Bittle Maad) 3 - Potamogeton crispus (Curly-leaf Pondweed)	Custom Observation Query All Data Summary Report All Species by County: Report Table
Eagles Mere Lake (SULLIVAN) - (Sullivan):	1 - Cipangopaludina japonica (Japanese Mysterysnail)	Infested Lakes: Table
Edinboro Lake (ERIE) - (Erie):	6 - Dreisianta polymorpha (Zabra Mussel) 5 - Myriaphylan sipacham (Joshan Vatar-milfol) 2 - Najan more (Initia Naiad) 5 - Polanopato erispus (Curly-Inal Pondwead)	Report Report vith Observation IDS Active Projects:

• This report is a quick and easy way to view a list of infested lakes and their associated invasive species. Available Under the Query and Reports section on the Main Navigation page.

## **Email Alerts**

- Access email alerts from the Main Navigation page
- 3 types of alerts available
- Keeps you informed of latest info reported to iMapInvasives
- Invaluable EDRR tool
- Reference guide available on the Homepage



Zebra Mussels Photo credit: Becky Bochaty, Flickr user



Black Swallow-Wort

# **Continual Alert**

Most basic type of email alert available
This alert will send you an email whenever its conditions are met, until the alert is deactivated



Water Chestnut Photo credit: eattheweeds.com



Water Chestnut (Nutlet) Photo credit: Dave Donachy, PA Game Commission

#### Example of a Continual Alert

Alert type = Continual

Geography Type = State

Geography Name = PA

Species Name = Trapa natans

MapInvasives Pennsylvan	a Administrator Tools rts :: Alert Information	
Alert Information		
Note: Once an alert is created, it cannot be edited (but it can Note: As a level 9 and above user, your email alerts will trigg	ve deactivated) er on unconfirmed observations	
Basic		The second second
Alert type	Continual	•
Geography Type	State	•
Geography Name	Pervsylvania	٠
Buffer Distance (meters)		
Species By	Species Name	•
Species Name	To receive alerty in all species reported in your selected geography, select Species Name = Any Species.	
Alerts requested	(You must manually deactivate the alert to stop receiving emails)	
# of Observations	0	
Additional Email Contact	intelligence_terrors.	
Active	Ттин	

 For this continual alert, I will be notified whenever Water Chestnut (Trapa natans) is reported anywhere in Pennsylvania.

# Early Detection Alert

- This type of alert is only active for the first few confirmed reports in your area of interest as a way to notify you of a new species coming into your area.
- Once there are many confirmed reports, you will stop getting notices as this species would now be considered **established** rather than an **early detection** species.

#### Example of an Early Detection Alert

Sharray polymouther	ania Administrator Tools Marts al Met Information	Welco Home	me back, Amy (montal) 2833 Log Out	Alert type = Early Detection
Note: Once an alert is created, it cannot be edited (but it in Note: As a fevel 9 and above user, your email alerts will be	zan be deutrionned) rigger on uncardimmed observations			
Basic	Early Detection			Geography Type =
Alert type	Latiy Letector		7	Waterbody
Geography Туре	Watebody	•	2	
Geography Name	[Ke Prod (MORRCE)	*	()	Geography Name =
Buffer Distance (meters)				Ice Pond (Monroe)
Species By	Species Name	•		, , , , , , , , , , , , , , , , , , ,
Species Name	Dreasena polymorpha To receive alerts for all species reported in your selected geography, select Species Name = Any Species.	•		Species Name =
Alerts requested	[] (Number of observations that will trigger alert. Limit 10)		1	Dreissena polymorpha
# of Observations	0			
Additional Email Contact	additional souliggmail com			Alerts requested = $3$
Active	True			

 For this Early Detection alert, I will be notified the first three times that Zebra Mussel (Dreissena polymorpha) is reported in Ice Pond in Monroe County. The fourth and subsequent observations will not generate an alert.

# New to Geography Alert

- This type of alert will notify you when an area of interest you specify receives a report for a new species never reported there before.
   This can be for any species, not necessarily an early detection species.
- From this alert, EVERY new record for the specified geography is automatically sent to the user, though only one alert per species is sent.
- This alert is tailored around many species, not just a single species (Continual and Early Detection alerts are better for that purpose).

# Example of a New to Geography Alert

Alert Type = New to Geography

Geography Type = Conservation Lands

Geography Name = Rothrock State Forest

Species by = Assessment Type

Assessment Type = Plant Terrestrial

ert Information			New Record
Once an alert is created, it cannot be edited (but it can As a level 9 and above user, your email alerts will trapp	be deastivated) er on unconfirmed observations		
Back			
et lype	New to Geography	2	00
sprachte Teme	Conservation Landa	×	0
graphy Rame	RODHICK STATE FOREST	B	
er (Slatansk (anators)			
une fry	Assessment Type Lower black to select all species.		
minned. Type	Pare forestar		
to imposted	a (Non-inset downselfy data/insets the slief to stop-receiving analog)		0
minal Issail Contact	indiffuent emultifying to		
	True		
Create Alert			

• For this New to Geography alert, I will be notified whenever a new terrestrial plant is reported in Rothrock State Forest, until I deactivate the alert.

### Test Your iMapInvasives Knowledge!

#### Correct answers will be rewarded with candy ③



- What are the 5 different types of records you can create in iMapInvasives?
- Answer: Observation, Assessment, Survey, Treatment, and Infestation Management.

• When entering an observation record, what are 3 ways you can select the observation location?

• Answer: GPS coordinates, specific address, and location name.

#### Question 3 • In general, what is this map depicting?



 Answer: County distribution of a species across the state (based on current data in iMapInvasives)

- When entering an observation record that was observed by someone else, how do I record that person's name as the observer if they don't have a iMap login account?
- Answer: You can't. Even though you can enter an observation record for someone else, that person must first have an iMap login account to properly record him/her as the observer. A login account can be created by sending the person's name and email address to the iMap administrator.

#### • What happens when I click on a red "observation" circle on the map?



Answer: A concise list of all associated observations appears and provides a link to each individual observation record found in the list.

- What is the function of an early detection email alert?
- Answer: An early detection alert provides a way to notify you of a new species coming into your area. Once there are many confirmed reports for a certain species, you will stop getting alerts as this species would now be considered **established** rather than an **early detection** species.

What is an iMapInvasives project?
Answer: A project in iMap is a way to group certain data together for easier

and more efficient querying later on.

- If I wanted to set a customized filter to view only aquatic invasive animals found in Montgomery County, what tool would I use?
- Answer: The Custom Observation Query tool found on the Main Navigation page under the Query and Reports section.

- True or False: When entering a survey record, only presence data can be entered.
- Answer: False; surveys in iMapInvasives allow users to record both presence and absence data.

• What is the name of the tool which allows you to view a specific report about invasive species infesting Pennsylvania's

lakes?



• Answer: The Infested Lakes Report located on the Main Navigation page under the Query and Reports section.

# **Bonus Question!**

• What should I do when I have a question on how to use the iMapInvasives database (and where can this info be found)?

#### • Answer: Send an email to <u>imapinvasives@paconserve.org</u> or call 412-586-2305. You can find this info on the new PA iMapInvasives Homepage.

# Please be in touch with any questions or comments...

Mary Walsh Aquatic Ecologist & Administrator of PA *i*MapInvasives

- 814-689-1823
- mwalsh@paconserve.org

#### Amy Jewitt

Invasive Species Information Assistant & Administrator of PA *i*MapInvasives

- 412-586-2305
- ajewitt@paconserve.org